SLANT

PRODUCT FACT SHEET





SLANT


DESIGN BY BRANCH, 2021

Inspired by the power of shapes and how they impact their surroundings, Japanese design team Branch's Slant Lamp features a bold graphic aesthetic that takes possession of the space it occupies. Comprising a simple, slanted cylindrical form with a weighted base to keep the angle perfectly balanced, all components are concealed within to retain the clean, elemental silhouette. Crafted in aluminium with a wet spray satin finish to create a smooth surface, it utilises a standard retro fit bulb, hidden away behind the lamp's acrylic diffuser, which softly distributes the light. Available in several colour options, Slant's sculptural design and functional, directional light make it suitable for a variety of home and office settings.

HIGHLIGHTS

- ·Part of a progressive and technologically advanced lighting collection.
- ·Sculptural and graphic lamp comprising a simple, slanted cylindrical form with a weighted base to keep the angle perfectly balanced.
- · Designed for use with a replaceable standard retro fit LED dimmable bulb.
- · Stepless inline dimmer.
- \cdot Table lamp suitable for both private and office environments.
- · For indoor use only.

DIMENSIONS



WIDTH 23,5 CM DEPTH 24,5 CM HEIGHT 28 CM

MATERIALS

SHADE & BASE

Die-cast and extruded aluminum with a satin, wet spray finish.

DIFFUSER

Injection moulded Acrylic (PMMA)

CORD

Braided textile cable in black with silicone insulation.

OPTIONS

Incl. UK Plug converter.

COLOUR & FINISH

Please note that the colour codes are indicative.











KHAKI GREEN

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED 27 (A15 or A19), 10-13W (max. 15W),	Yes**	220-240V AC at 50/60Hz	20	200 cm	Stepless inline
1000-1500lm, 2700K warm white					dimmer switch


^{*}Bulb not included.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
284lm	3000, warm white	80

^{*}Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.















Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- · EN 55015:2013 (radio disturbance)
- ·EN 61547:2009 (EMC immunity)
- · EN 61000-3-2:2014 (EMC compatibility)
- · EN 61000-3-3:2013 (EMC compatibility)
- ·EN 60598-2-4:1997 (portable luminaires)
- · EN 60598-1:2015 (general requirements)
- ·EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

LINK TO DIGITAL LIBRARY

^{**}If used with a dimmable LED bulb.